



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] | [REDACTED]
 [REDACTED]
 [REDACTED] |

[REDACTED]

[REDACTED], [REDACTED]
 [REDACTED]
 [REDACTED] | [REDACTED]
 [REDACTED]
 [REDACTED] | [REDACTED]
 [REDACTED] | [REDACTED]

[REDACTED] *Food Safety During Cancer*


Treatment (www.mskcc.org/cancer-care/patient-education/food-safety-during-cancer-treatment) [REDACTED] |

[REDACTED]

[REDACTED]
 [REDACTED] ([REDACTED]) [REDACTED]
 [REDACTED] | [REDACTED]
 [REDACTED] | [REDACTED]
 [REDACTED] |

[REDACTED]	[REDACTED]
[REDACTED]	<ul style="list-style-type: none"> • [REDACTED] • [REDACTED] • [REDACTED]
[REDACTED]	<ul style="list-style-type: none"> • [REDACTED] • [REDACTED] ([REDACTED]) • [REDACTED] • [REDACTED] • [REDACTED] - Gatorade® • [REDACTED] • [REDACTED] • [REDACTED]
[REDACTED]	<ul style="list-style-type: none"> • [REDACTED], [REDACTED] Jell-O® • [REDACTED], [REDACTED] - Popsicles® • [REDACTED], [REDACTED], [REDACTED]

- Add unflavored protein powder to creamy soups, mashed potatoes, shakes, and casseroles.
- Snack on cheese or nut butters (such as peanut butter, cashew butter, and almond butter) with crackers.
- Spread nut butters on apples, bananas, or celery.
- Try apple slices with cheese wedges and honey drizzled on top.
- Blend a nut butter into your shakes or smoothies.
- Snack on nuts, sunflower, or pumpkin seeds.
- Add nuts and seeds to breads, muffins, pancakes, cookies, and waffles.
- Try hummus with pita bread. Use hummus as a spread on sandwiches or add a spoonful to your salad.
- Add cooked meats to soups, casseroles, and salads.
- Add wheat germ, ground nuts, chia seeds, or ground flax seeds to cereals, casseroles, and yogurt.
- Choose Greek style yogurts over regular yogurt.
- Eat desserts made with eggs, such as pound cake, puddings, custards, and cheesecakes.
- Add extra eggs or egg whites to custards, puddings, quiches, pancake batter, French toast egg wash, scrambled eggs, or omelets.
- Add grated cheese to sauces, vegetables, and soups. You can also add it to baked or mashed potatoes, casseroles, and salads.
- Add cottage cheese or ricotta cheese to casseroles, pasta dishes, or egg dishes.
- Melt cheese on hamburgers and breaded cutlets.
- Add chickpeas, kidney beans, tofu, hard-boiled eggs, nuts, seeds, and cooked meats or fish to your salads.
- Use pasteurized bone broth for soups and stews.



[REDACTED] [REDACTED] [REDACTED] [REDACTED] | [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] | [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] |

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] | [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] |

[REDACTED], [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] | [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] | [REDACTED] [REDACTED] [REDACTED] [REDACTED]:

- [REDACTED] [REDACTED] [REDACTED] [REDACTED]
- [REDACTED] [REDACTED] [REDACTED] [REDACTED]
- [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] ([REDACTED] [REDACTED] [REDACTED] [REDACTED])	[REDACTED] [REDACTED] [REDACTED] [REDACTED]
Osmolite® 1 Cal (Abbott)	[REDACTED] 8-[REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 250 [REDACTED] [REDACTED] • 10.5 [REDACTED] [REDACTED] [REDACTED]
Isosource® HN (Nestlé)	[REDACTED] 8-[REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 300 [REDACTED] [REDACTED] • 13.5 [REDACTED] [REDACTED] [REDACTED]
Glytrol® [REDACTED] [REDACTED] (Nestlé)	[REDACTED] 8-[REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 250 [REDACTED] [REDACTED] • 11.3 [REDACTED] [REDACTED] [REDACTED]

[REDACTED], [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
 [REDACTED] | [REDACTED] [REDACTED] [REDACTED] [REDACTED]:

- [REDACTED] [REDACTED] [REDACTED] [REDACTED]

88 - [REDACTED] [REDACTED] [REDACTED] ([REDACTED] [REDACTED] [REDACTED])
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED],
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED], [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED]:

- [REDACTED] [REDACTED] [REDACTED] - [REDACTED]
- [REDACTED] [REDACTED] [REDACTED] - [REDACTED]
- [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] ([REDACTED] [REDACTED] [REDACTED])	[REDACTED] [REDACTED] [REDACTED]
Glucerna® Shake (Abbott)	[REDACTED] 8 - [REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 180 [REDACTED] • 10 [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] (Nestlé)	[REDACTED] 8 - [REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 250 [REDACTED] • 14 [REDACTED]
Glytrol Vanilla (Nestlé)	[REDACTED] 8 - [REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 250 [REDACTED] • 11.3 [REDACTED]

[REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED], [REDACTED] [REDACTED],
[REDACTED] [REDACTED] [REDACTED], [REDACTED] [REDACTED], [REDACTED], [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]. [REDACTED] [REDACTED] [REDACTED]
[REDACTED]:

- [REDACTED] [REDACTED] [REDACTED] - [REDACTED]
- [REDACTED] [REDACTED] [REDACTED] [REDACTED] - [REDACTED]
- [REDACTED] [REDACTED] [REDACTED] - [REDACTED]
- [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] ([REDACTED] [REDACTED] [REDACTED])	[REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] (Abbott)	[REDACTED] 8 - [REDACTED] [REDACTED] [REDACTED]: <ul style="list-style-type: none"> • 250 [REDACTED]

	<ul style="list-style-type: none"> • 9 [redacted]
[redacted] (Nestlé)	[redacted] 8-[redacted]: <ul style="list-style-type: none"> • 250 [redacted] • 9 [redacted]
Resource® Diabetishield (Nestlé)	[redacted] 8-[redacted]: [redacted]: [redacted] [redacted] [redacted] [redacted]
	<ul style="list-style-type: none"> • 150 [redacted] • 7 [redacted] • 30 [redacted]

[redacted]-[redacted], [redacted], [redacted]
 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]
 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]
 [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]

- [redacted]
- [redacted], [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]

[redacted] ([redacted])	[redacted]
Carnation [redacted] [redacted]™ (Carnation)	[redacted] 8-[redacted]: [redacted]
[redacted]: [redacted] [redacted] [redacted] [redacted] [redacted] [redacted]- [redacted] [redacted] [redacted]	<ul style="list-style-type: none"> • 280 [redacted] • 12 [redacted]
[redacted]-[redacted] ([redacted]) Carnation [redacted] (Carnation)	[redacted] 8-[redacted]: [redacted]: <ul style="list-style-type: none"> • 210 [redacted] • 14 [redacted]
Scandishake® (Aptalis)	[redacted] 11-[redacted]: [redacted]: <ul style="list-style-type: none"> • 600 [redacted] • 12 [redacted]
[redacted]: [redacted] [redacted]-[redacted] [redacted] [redacted]	

[REDACTED]

[REDACTED], **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] (**[REDACTED]** - **[REDACTED]**, **[REDACTED]** **[REDACTED]**) **[REDACTED]**

[REDACTED] |

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** |

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]** |

[REDACTED] ([REDACTED])	[REDACTED]
Scandical® ([REDACTED]) (Aptalis)	[REDACTED] : • 35 [REDACTED]
Benecalorie® ([REDACTED]) (Nestlé)	[REDACTED] 1.5 [REDACTED] : • 330 [REDACTED] • 7 [REDACTED]
Unjury® [REDACTED] [REDACTED] [REDACTED] ™ ([REDACTED]) (Unjury)	[REDACTED] 24- [REDACTED] [REDACTED] : • 90 [REDACTED] • 21 [REDACTED]

[REDACTED], **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] **[REDACTED]** **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED]

[REDACTED] **[REDACTED]**, **[REDACTED]** **[REDACTED]** **[REDACTED]**

[REDACTED] **[REDACTED]** **[REDACTED]** | **[REDACTED]** **[REDACTED]**:

- **[REDACTED]** - **[REDACTED]**
- **[REDACTED]** - **[REDACTED]**
- **[REDACTED]**

[REDACTED] ([REDACTED])	[REDACTED]
Nepro® (Abbott)	[REDACTED] 8- [REDACTED] :

... | ... ,
2 ...
... | ...
...

...

... , ...
... | ...
... , ...
...

- ...
- ...
- ...
- ...

... , ...
... |
...
...

... , ...
...

...-... ..

... , ...
... | ...
... | ...
... | ...
... | ...
... | ...
... | ...
...

- ...
- ...
- ...
- ... , ... , ... , ...

• **Содержание**

1. Общие сведения о лекарственном препарате

Лекарственный препарат представляет собой 8 таблеток 10 (8-таблеточный блистер) по 100 мг. Лекарственный препарат предназначен для перорального приема. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями.

2. Состав и форма выпуска

Каждая таблетка содержит 100 мг активного вещества. Каждая таблетка содержит 100 мг активного вещества. Каждая таблетка содержит 100 мг активного вещества. Каждая таблетка содержит 100 мг активного вещества.

3. Фармакологические свойства

Лекарственный препарат обладает антибактериальными свойствами. Лекарственный препарат обладает антибактериальными свойствами. Лекарственный препарат обладает антибактериальными свойствами. Лекарственный препарат обладает антибактериальными свойствами.

4. Показания к применению

Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями. Лекарственный препарат применяется для лечения заболеваний, вызванных бактериями.

• **Противопоказания**

• **Способ применения и дозы**

• **Побочные эффекты**

• **Взаимодействие**

• **Способ хранения**

• **Состав** (sorbitol) и (mannitol), **Состав** - **Состав**

- [REDACTED]

[REDACTED]
[REDACTED]
[REDACTED]

[REDACTED]
[REDACTED] 8 [REDACTED] 10 (8-[REDACTED]) [REDACTED]
[REDACTED], [REDACTED]
[REDACTED], [REDACTED]
[REDACTED]:

- [REDACTED]
- [REDACTED] Pedialyte®
- [REDACTED]
- [REDACTED] / [REDACTED]
[REDACTED], [REDACTED] Nuun®
- [REDACTED], [REDACTED] / [REDACTED],
[REDACTED] DripDrop®
- [REDACTED] / [REDACTED], [REDACTED]
Propel®
- [REDACTED]-[REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED], "[REDACTED]" [REDACTED]

[REDACTED]

[REDACTED], [REDACTED], [REDACTED]
[REDACTED], [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED]

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]
- [Redacted]

[Redacted paragraph 1]

[Redacted paragraph 2]

[Redacted paragraph 3]

[Redacted paragraph 4]

<p>[Redacted]</p>	<p>[Redacted]</p>
<p>[Redacted]</p> <ul style="list-style-type: none"> • [Redacted] 	<p>[Redacted]</p> <ul style="list-style-type: none"> • [Redacted]

• [REDACTED]

• [REDACTED]

• [REDACTED]

• [REDACTED]

• [REDACTED]

• [REDACTED], [REDACTED], [REDACTED], [REDACTED]

[REDACTED], [REDACTED] [REDACTED] [REDACTED]

[REDACTED]

• [REDACTED], [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED]

• [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED], [REDACTED]:

• [REDACTED], [REDACTED], [REDACTED],

[REDACTED], [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED]

[REDACTED] [REDACTED] (" [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] "

[REDACTED])

• [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] | [REDACTED], [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] |

• [REDACTED], [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] |

A sore mouth or throat can make eating difficult. The way you eat can make a difference. The following are some tips to avoid irritating your mouth:

- Cook your foods until they’re soft and tender. Use a blender to purée foods.
- Cut your foods into small pieces that are easy for you to chew.
- Rinse your mouth often. Try using a mouth rinse of 1 teaspoon salt, 1 teaspoon baking soda, and 1 quart (4 cups) of warm water. If this does not help, ask your

doctor for other mouth rinse recommendations.

- Use a straw to drink. This keeps liquids from touching your sore mouth.
- Brush your teeth and tongue, if your doctor or dentist says it’s OK.
- Drink more liquids to help to keep your mouth clean.

If you have a sore mouth or throat, trying softer, bland, lukewarm, or cool foods can be helpful. Avoid foods that may increase pain, such as dry foods and foods that are spicy, salty, sour, or acidic.

Follow the eating and drinking guidelines below if your mouth or throat is sore.

Foods to Try	Foods to Avoid
<p>Bland, soft, puréed foods, such as:</p> <ul style="list-style-type: none"> • Plain casseroles, mashed potatoes, macaroni and cheese, and scrambled eggs • Soft-cooked or puréed chicken and fish • Creamed soups • Cooked cereals • Baby food (tapioca and plain flavors) • Butter, sour cream, oils, and mild sauces (as tolerated) added to foods • Breads, crackers, and other baked goods dipped in milk or tea <p>Cold foods, such as:</p> <ul style="list-style-type: none"> • Milkshakes, smoothies, yogurts, gelatin, custards, pudding, cottage cheese, and nutritional supplements like Ensure 	<p>Rough or dry foods, such as:</p> <ul style="list-style-type: none"> • Dry meats • Dry breads, crackers, and pretzels • Coarse, raw fruits and vegetables <p>Spicy, salty, and acidic foods, such as:</p> <ul style="list-style-type: none"> • Foods made with large amounts of spices, such as pepper or chili powder • Foods high in salt or made with vinegar • Citrus fruit products (such as orange juice and lemonade) • Tomato products (such as pasta sauce, tomato juice, or tomato soup)

[REDACTED CONTENT]

- If meats taste bitter, try marinating them in sauces or fruit juices or squeeze lemon juice on them. Only do this if your mouth isn't sore.
- Include meat substitutes (such as dairy products and beans) for protein.
- Use plastic utensils.
- Try sugar-free mints or gum.
- Avoid canned food items (such as sauces and soups). Choose items in a glass or plastic jar or a box instead.

If foods taste too sweet

- Add some salt to the food.
- Dilute sweet drinks with water.
- If everything tastes sweet, try more acidic foods, such as foods with lemon.

If foods taste or smell different than usual

- Avoid foods with strong odors (smells). Because beef and fish have the strongest odors, try eating poultry, eggs, and dairy products.
- When cooking, open lids of pots and pans away from you so that the smell moves away from you, not towards you.
- Open windows while cooking if the smell of foods cooking bothers you.
- Choose foods that can be eaten cold or at room temperature. Let foods cool down before eating. Room-temperature or cold foods have less smell than warm foods.
- Experiment with different seasonings and food combinations, such as:
 - Adding sauces to foods.
 - Changing the temperature and texture of foods.
- If your mouth isn't sore, try tart foods (such as lemon wedges or citrus fruits) to stimulate taste.
- Rinse your mouth out before and after you eat.
- Drink small sips of liquid throughout your meals to rinse out the taste of the food.



1. 本報告係根據本公司於中華民國九十三年三月三十一日之財務資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。

2. 本報告係根據本公司於中華民國九十三年三月三十一日之財務資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。

- 本公司之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。
- 本公司之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。
- 本公司之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。
- 本公司之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。

三、其他重要事項

本公司於九十三年三月三十一日之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。

本公司於九十三年三月三十一日之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。

本公司於九十三年三月三十一日之財務資料係根據本公司之會計帳簿及資料編製而成，其內容係根據本公司之會計帳簿及資料編製而成。



Foods to try	Foods to avoid
<p>Starchy, low-fat, bland foods, such as:</p> <ul style="list-style-type: none">• Dry toast, crackers, and bagels• Angel food cake and vanilla wafers• Sherbet, low-fat ice cream, or frozen yogurt• Gelatin• Canned, unsweetened fruit <p>Cold foods, such as:</p> <ul style="list-style-type: none">• Cold proteins, such as skinless chicken, cheeses, and yogurts• Light pasta salads• Popsicles• Chilled clear liquids, such as nutritional supplements (Ensure Clear) and juices diluted with water	<ul style="list-style-type: none">• High-fat, overly spicy, or overly sweet foods• Fatty meats• Fried foods, such as eggs and French fries• Soups with heavy cream• Creamed vegetables• High-fat, high-sugar pastries, doughnuts, and cookies• Foods made with heavy spices, such as pepper or chili pepper, onion, hot sauce, or salad dressing <p>High-fat foods may stay in your stomach longer and are harder to digest. Many of these foods have strong odors or flavors that can cause nausea or make it worse.</p>

General tips

- Pay attention to the amount of food you eat. Eating too much can stress your stomach.
- Try ready-made foods (such as take-out foods or frozen dinners) to prevent nausea while you cook or make foods. If you need to, ask others to cook for you.
- If food odors make you nauseated:
 - Try cold foods, such as a sandwich or salad. These foods don't smell as strong as hot foods.
 - Leave the area while hot foods are cooking, if you can.
 - Have someone else plate your food for you.
 - Let your food cool down for a few minutes before eating.
 - Avoid places with strong odors.
- Eat small, frequent meals. This can stop you from getting too full and help you take in more food throughout the day.
- Drink most liquids between your meals. This will help you keep from feeling full too fast or feeling bloated.
- Eat slowly and chew your foods well. Avoid activity right after meals. These things help

- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]
- [REDACTED]

[REDACTED] God's Love
We Deliver [REDACTED] Meals on Wheels. [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

<p> Ingredients (Ingredients Ingredients) • 4 Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients </p>	
---	--

Ingredients

Ingredients	Ingredients
<p> • 8 Ingredients Ingredients Ingredients • 2 Ingredients Ingredients Ingredients (Ingredients Ingredients) • 4 Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients • 2 Ingredients Ingredients NutraSweet® Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients (Ingredients) Ingredients Ingredients Ingredients Ingredients </p>	<p> Ingredients 8-Ingredients Ingredients: • 260 Ingredients • 10 Ingredients Ingredients </p>

Ingredients

Ingredients	Ingredients
<p> • 8 Ingredients Ingredients, Ingredients Ingredients Ingredients Ingredients • 2 Ingredients Ingredients - Ingredients Ingredients - Ingredients (Ingredients Ingredients) • 4 Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients • 2 Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients (Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients - Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients) • Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients, 1/2 Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients Ingredients </p>	<p> Ingredients 8-Ingredients Ingredients: • 285 Ingredients • 6 Ingredients Ingredients </p>

1. 1 1/2 cups of flour
 2. 1/2 cup of sugar
 3. 1/2 cup of butter
 4. 1/2 cup of milk
 5. 1/2 cup of vanilla
 6. 1/2 cup of chocolate chips
 7. 1/2 cup of nuts

Ingredients:
 • 430 g flour
 • 7 g sugar

This recipe is for a chocolate chip cookie. It is a simple and delicious treat that can be made in a matter of minutes. The ingredients are easy to find and the instructions are straightforward.

- 1 1/2 cups flour
- 1/2 cup sugar
- 1/2 cup butter
- Oreo® 1/2 cup *
- M&M's® *
- 1/2 cup (1/2 cup chocolate chips)
- 1/2 cup (1/2 cup York® 1/2 cup)
- 1/2 cup (1/2 cup) *
- 1/2 cup (1/2 cup) * (1/2 cup (1/2 cup) (1/2 cup (1/2 cup) (1/2 cup (1/2 cup) (1/2 cup (1/2 cup) (1/2 cup (1/2 cup)

This is a recipe for a chocolate chip cookie. It is a simple and delicious treat that can be made in a matter of minutes. The ingredients are easy to find and the instructions are straightforward.

1. 1 1/2 cups of flour
 2. 1/2 cup of sugar
 3. 1/2 cup of butter
 4. 1/2 cup of milk
 5. 1/2 cup of vanilla
 6. 1/2 cup of chocolate chips
 7. 1/2 cup of nuts

	<p>• 4 [redacted]</p> <p>• 2 [redacted] 10 [redacted]</p> <p>• 4 [redacted]</p>
	<p>• 1 [redacted], [redacted]</p> <p>• [redacted] 1/2 [redacted]</p> <p>• 4 [redacted]</p>
	<p>• 1/2 [redacted]</p> <p>• 4 [redacted]</p>

[redacted]	[redacted]
	<p>• 1/3 [redacted]</p> <p>• 3/4 [redacted]</p> <p>• 4 [redacted]</p>
	<p>• [redacted]</p> <p>• 4 [redacted]</p>
	<p>• 1 [redacted] (3-[redacted]) [redacted]</p> <p>• 4 [redacted]</p>
	<p>• 1/2 [redacted]</p> <p>• 4 [redacted]</p> <p>• [redacted]</p>
	<p>• 2 [redacted], [redacted]</p> <p>• 1 [redacted], [redacted]</p> <p>• [redacted] 1/2 [redacted]</p> <p>• 4 [redacted]</p>
	<p>• 1/2 [redacted]</p>

	<ul style="list-style-type: none"> • [redacted] 1 [redacted] • 4 [redacted]
[redacted]	<ul style="list-style-type: none"> • [redacted] • 4 [redacted]
[redacted]	<ul style="list-style-type: none"> • ½ [redacted] • ½ [redacted] • [redacted] ½ [redacted] • 4 [redacted]
[redacted]	<ul style="list-style-type: none"> • [redacted] " [redacted] " [redacted] 1 (2 [redacted]) • 4 [redacted]-[redacted]

[redacted]	[redacted]
[redacted]	<ul style="list-style-type: none"> • 1 [redacted] • [redacted], [redacted] 2 [redacted] • 4 [redacted]
[redacted]-[redacted]	<ul style="list-style-type: none"> • 2 [redacted] 10 [redacted]
[redacted]	<ul style="list-style-type: none"> • [redacted], [redacted], [redacted] • 15 [redacted] • 4 [redacted]-[redacted]
[redacted]	<ul style="list-style-type: none"> • ½ [redacted] • 4 [redacted]
[redacted]	<ul style="list-style-type: none"> • [redacted] 1 [redacted] • 1 [redacted]-[redacted] • 4 [redacted]
[redacted]	<ul style="list-style-type: none"> • [redacted]-[redacted] • ½ [redacted] • 4 [redacted]

[redacted]

www.msk.org/herbs-
|

, 646-608-8550
|

MSK
ww.msk.org/nutrition

ht

tp://ods.od.nih.gov3

01-435-2920

|

MSK-

MSK
:

- Memorial Sloan Kettering Basking Ridge

