



[REDACTED]

MiraLAX® [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

(MiraLAX) [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] ([REDACTED])

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED], [REDACTED]

[REDACTED]:

- [REDACTED] ([REDACTED]) [REDACTED]
- [REDACTED] ([REDACTED]) [REDACTED]
- [REDACTED] [REDACTED]

- [REDACTED] (Plavix®)
- [REDACTED] (Pradaxa®)
- [REDACTED]
(Fragmin®)
- [REDACTED]
(Persantine®)
- [REDACTED]
(Savaysa®)
- [REDACTED]
(Lovenox®)
- [REDACTED]
(Arixtra®)
- [REDACTED] ([REDACTED]
[REDACTED])
- [REDACTED] (NSAID), [REDACTED]
[REDACTED] (Advil®,
Motrin®) [REDACTED]
[REDACTED]
(Aleve®)
- [REDACTED]
(Trental®)
- [REDACTED] (Effient®)
- [REDACTED]
(Xarelto®)
- [REDACTED]
(Azulfidine®, Sulfazine®)
- [REDACTED] (Brilinta®)
- [REDACTED]
(Innohep®)
- [REDACTED] (Jantoven®,
Coumadin®)

Medicines for diabetes

If you take insulin or other medicines for diabetes, you may need to change the dose. Ask the doctor who prescribes your diabetes medicine what to do the day before and the morning of your procedure.

Do not take these medicines the day before or the day of your procedure:

- Metformin, such as Glucophage® or Glumetza®.
- Medicine that contains metformin, such as Janumet®.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

VNS [REDACTED]: 888-735-8913

[REDACTED]

[REDACTED]: 877-227-4649

[REDACTED]
[REDACTED]: 877-227-4649

[REDACTED], [REDACTED]

... ..
... .. |
... ..
... ..
... ..
... ..
... .. |

... ..

... ..,
... ..
... .. |
... .. |
... ..
... ..
... .. |

... ..,
... .. IV |
... ..,
... ..
... ..
... .. |

... ..

-
... .. |
... ..
... .. |
... ..
... ..
... ..
... ..,
... .. |

- 24

