



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED] ([REDACTED]) [REDACTED] | [REDACTED], [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]?

[REDACTED]

[REDACTED]

[REDACTED] | [REDACTED], [REDACTED]

[REDACTED]

[REDACTED]

[REDACTED], [REDACTED]

[REDACTED]

[REDACTED]?

[REDACTED]

[REDACTED], [REDACTED]

[REDACTED] | [REDACTED]

[REDACTED]

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_?

\_\_\_\_\_ 1 \_\_\_\_\_ 3  
\_\_\_\_\_ 20 \_\_\_\_\_  
6 \_\_\_\_\_

- \_\_\_\_\_ (\_\_\_\_\_)
- \_\_\_\_\_ (\_\_\_\_\_)
- \_\_\_\_\_ (\_\_\_\_\_)
- \_\_\_\_\_, \_\_\_\_\_:
  - 101.3 °F (38.5 °C) \_\_\_\_\_
  - \_\_\_\_\_
  - \_\_\_\_\_
  - \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ /  
\_\_\_\_\_?

...  
...  
...

... 4  
...  
...



## ... ...

- ...-  
... 20 ...:
  - ...
  - ...
- ...
- ...
- ...
  - ...
  - ...
- ...

Use the following steps to clean and disinfect the area. Use a disinfectant such as Lysol® or Clorox®.

- Wipe down the area with a clean cloth. If the area is heavily soiled, use a brush to scrub the area. After scrubbing, wipe down the area with a disinfectant. Wait the amount of time specified on the label for the disinfectant to work. Do not use bleach on a wooden surface. (If you must use bleach, use a solution of 1 cup of bleach per gallon of water.)
- Clean the area with a disinfectant. Use the disinfectant according to the instructions on the label. Do not mix disinfectants. Do not use disinfectants on a wooden surface.
- Wash your hands thoroughly with soap and water for at least 20 seconds.



## How to Clean and Disinfect the Area

- Wipe down the area with a clean cloth. If the area is heavily soiled, use a brush to scrub the area. After scrubbing, wipe down the area with a disinfectant. Wait the amount of time specified on the label for the disinfectant to work. Do not use bleach on a wooden surface. (If you must use bleach, use a solution of 1 cup of bleach per gallon of water.)
- Clean the area with a disinfectant. Use the disinfectant according to the instructions on the label. Do not mix disinfectants. Do not use disinfectants on a wooden surface.
- Wash your hands thoroughly with soap and water for at least 20 seconds.

- 對於所有受影響的國家和地區，我們都將提供必要的支持，包括提供技術援助、培訓、以及協助制定政策。我們也將與國際組織合作，共同應對這些挑戰。| 我們將繼續關注局勢的發展，並根據需要調整我們的策略。
- 我們將加強與各國政府的溝通，確保我們的行動與他們的目標相一致。我們也將致力於提高公眾的意識，並鼓勵大家採取積極的行動。| 我們將定期發布進展報告，讓公眾了解我們的最新動態。



## 我們將繼續努力，為實現我們的目標而奮鬥。

- 我們將繼續與各國政府合作，共同制定和實施有效的政策。我們也將加強與國際組織的合作，共同應對全球性的挑戰。| 我們將定期與各國政府進行溝通，確保我們的行動與他們的目標相一致。
- 我們將繼續加強與各國政府的溝通，確保我們的行動與他們的目標相一致。我們也將致力於提高公眾的意識，並鼓勵大家採取積極的行動。| 我們將定期發布進展報告，讓公眾了解我們的最新動態。
- 我們將繼續與各國政府合作，共同制定和實施有效的政策。我們也將加強與國際組織的合作，共同應對全球性的挑戰。| 我們將定期與各國政府進行溝通，確保我們的行動與他們的目標相一致。
- 我們將繼續加強與各國政府的溝通，確保我們的行動與他們的目標相一致。我們也將致力於提高公眾的意識，並鼓勵大家採取積極的行動。| 我們將定期發布進展報告，讓公眾了解我們的最新動態。
- ○ 我們將繼續與各國政府合作，共同制定和實施有效的政策。我們也將加強與國際組織的合作，共同應對全球性的挑戰。| 我們將定期與各國政府進行溝通，確保我們的行動與他們的目標相一致。

... , ... | ...  
... , ...  
...  
...

○ ...  
... 10 ... | ...  
...

• ... , ... ,  
...

• ... 1 ...  
...

• ... |  
...  
... | ...  
...

... ?

...  
... | ...  
...  
...

... |  
...  
... |  
... |  
...  
...

... 1 ... ( ... )  
... |  
...

1. **Preparation of the test solution** | **Preparation of the test solution**  
 2. **Preparation of the test solution** | **Preparation of the test solution**  
 3. **Preparation of the test solution** | **Preparation of the test solution**  
 4. **Preparation of the test solution** | **Preparation of the test solution**  
 5. **Preparation of the test solution** | **Preparation of the test solution**  
 6. **Preparation of the test solution** | **Preparation of the test solution**

| <b>Preparation of the test solution</b>                                    | <b>Preparation of the test solution - 145 °F (63 °C)</b>                           |
|--|--|
| <b>Preparation of the test solution</b> (Preparation of the test solution) | 3-Preparation of the test solution 145 °F (63 °C)                                  |
| <b>Preparation of the test solution</b> (Preparation of the test solution) | 160 °F (71 °C)   |
| <b>Preparation of the test solution</b> (Preparation of the test solution) | 165 °F (74 °C)   |
| <b>Preparation of the test solution</b>                                    | 160 °F (71 °C) Preparation of the test solution                                    |
| <b>Preparation of the test solution</b>                                    | 145 °F (63 °C) Preparation of the test solution (Preparation of the test solution) |
| <b>Preparation of the test solution</b>                                    | 165 °F (74 °C)   |

**Preparation of the test solution** 1. **Preparation of the test solution** - **Preparation of the test solution**



**Preparation of the test solution**

- **Preparation of the test solution** 40 °F (4 °C) Preparation of the test solution
- **Preparation of the test solution** 0 °F (-18 °C) Preparation of the test solution
- **Preparation of the test solution** (Preparation of the test solution) Preparation of the test solution

1. The first step is to identify the problem. In this case, the problem is that the patient is not responding to the current treatment. We need to determine why this is happening and what we can do to fix it.

2. The next step is to gather information. We should review the patient's medical history, current medications, and any recent lab work. We should also ask the patient about any changes in their symptoms or how they are feeling.

3. Once we have gathered the information, we can start to analyze it. We should look for any patterns or trends that might be helpful. For example, we might notice that the patient's symptoms are worse in the morning or that they are taking their medication incorrectly.

4. After analyzing the information, we can develop a plan of action. This might involve adjusting the patient's medication, changing their diet, or referring them to a specialist. We should also make sure to communicate our plan to the patient and any other healthcare providers involved.

- We should also consider the patient's overall health and any other conditions they might have. For example, if the patient has diabetes, we should make sure their blood sugar is well-controlled. We should also consider the patient's social support system and any barriers to accessing care.

- Finally, we should evaluate the patient's response to our treatment. We should schedule a follow-up appointment to see how the patient is doing. If the patient is still not responding, we may need to re-evaluate our plan and try a different approach.

- In conclusion, the key to successful patient care is to take a systematic approach. We should identify the problem, gather information, analyze it, develop a plan, and evaluate the patient's response.

- By following these steps, we can provide the best possible care for our patients and help them achieve their goals.

- 2. The second step is to develop a treatment plan. This should be based on the patient's individual needs and preferences.







# How to Prepare for a Fire Drill

## What to Do Before the Drill?

Before the drill, you should check the fire alarm system to make sure it is working properly. You should also check the fire extinguishers to make sure they are fully charged and ready to use. You should also check the fire escape routes to make sure they are clear and unobstructed. You should also check the fire alarm control panel to make sure it is set to the correct mode. You should also check the fire alarm system to make sure it is working properly. You should also check the fire extinguishers to make sure they are fully charged and ready to use. You should also check the fire escape routes to make sure they are clear and unobstructed. You should also check the fire alarm control panel to make sure it is set to the correct mode.

When the fire alarm sounds, you should stop what you are doing and get up immediately. You should then follow the fire drill procedure that you have been trained on. You should not use the elevators. You should not take shortcuts. You should not run. You should not use the fire escape unless you have been trained on how to use it. You should not use the fire escape if it is damaged or if you are unsure of how to use it. You should not use the fire escape if you are carrying anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire.

- If you are in a classroom, you should stop what you are doing and get up immediately. You should then follow the fire drill procedure that you have been trained on. You should not use the elevators. You should not take shortcuts. You should not run. You should not use the fire escape unless you have been trained on how to use it. You should not use the fire escape if it is damaged or if you are unsure of how to use it. You should not use the fire escape if you are carrying anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire.
- If you are in a hallway, you should stop what you are doing and get up immediately. You should then follow the fire drill procedure that you have been trained on. You should not use the elevators. You should not take shortcuts. You should not run. You should not use the fire escape unless you have been trained on how to use it. You should not use the fire escape if it is damaged or if you are unsure of how to use it. You should not use the fire escape if you are carrying anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire.
- If you are in a classroom, you should stop what you are doing and get up immediately. You should then follow the fire drill procedure that you have been trained on. You should not use the elevators. You should not take shortcuts. You should not run. You should not use the fire escape unless you have been trained on how to use it. You should not use the fire escape if it is damaged or if you are unsure of how to use it. You should not use the fire escape if you are carrying anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire.
- If you are in a hallway, you should stop what you are doing and get up immediately. You should then follow the fire drill procedure that you have been trained on. You should not use the elevators. You should not take shortcuts. You should not run. You should not use the fire escape unless you have been trained on how to use it. You should not use the fire escape if it is damaged or if you are unsure of how to use it. You should not use the fire escape if you are carrying anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire.

When the fire alarm sounds, you should stop what you are doing and get up immediately. You should then follow the fire drill procedure that you have been trained on. You should not use the elevators. You should not take shortcuts. You should not run. You should not use the fire escape unless you have been trained on how to use it. You should not use the fire escape if it is damaged or if you are unsure of how to use it. You should not use the fire escape if you are carrying anything that could catch fire. You should not use the fire escape if you are wearing anything that could catch fire.



... , ... |

... , ... | ... :

- ... 15 ... 20 ... ( ... , ... ) ... |
- ... 48 ... (2 ... ) ... |
- 2 ... , ... |

... | ... [www.epa.gov/privatewells/potential-well-water-contaminants-and-their-impacts](http://www.epa.gov/privatewells/potential-well-water-contaminants-and-their-impacts) ' ... |

# SECTION 2 - THE NATURE AND SCOPE OF THE INVESTIGATION

2.1. The purpose of this investigation is to determine whether the information provided in the above section is accurate and reliable. The investigation will be conducted in accordance with the following objectives:

- To identify the sources of the information provided and assess their reliability.
- To verify the accuracy of the information provided by comparing it with other sources.
- To determine the scope of the information provided and identify any gaps.
- To identify any potential biases or limitations in the information provided.
- To provide a clear and concise summary of the findings of the investigation.

2.2. The investigation will be conducted in accordance with the following methodology:

1. Identify the sources of the information provided.
2. Verify the accuracy of the information provided by comparing it with other sources.
3. Determine the scope of the information provided and identify any gaps.
4. Identify any potential biases or limitations in the information provided.
5. Provide a clear and concise summary of the findings of the investigation.

|  | SECTION 2 - THE NATURE AND SCOPE OF THE INVESTIGATION  |
|--|--|
| <p>SECTION 2 - THE NATURE AND SCOPE OF THE INVESTIGATION</p> | <ul style="list-style-type: none"> <li>• To identify the sources of the information provided and assess their reliability.</li> <li>• To verify the accuracy of the information provided by comparing it with other sources.</li> <li>• To determine the scope of the information provided and identify any gaps.</li> <li>• To identify any potential biases or limitations in the information provided.</li> <li>• To provide a clear and concise summary of the findings of the investigation.</li> </ul> |



• [REDACTED], [REDACTED], [REDACTED]  
[REDACTED], [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

2. [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] -  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED], [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED],

[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED],  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]  
[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED],



# REDACTED SECTION

- REDACTED
- REDACTED
- REDACTED
- REDACTED
- REDACTED
- REDACTED
- REDACTED
- REDACTED
- REDACTED
- REDACTED



... | ... , ... ..  
... ..  
... .. |

... .. , ... ..  
... .. :

- ... .. , ... - ... .. | ... .. , 3 ... ..  
... .. 6 ... .. |
- ... ..  
... .. |
- ... ..  
... .. |
- ... .. ( ... .. ) | ... ..  
... ..  
... .. |

### ... ..

... .. ( ... ..  
... .. ) ... .. , ... .. ,  
... .. | ... .. , ... ..  
... .. |

- ... .. ( ... .. ) ... ..  
... .. | ... ..  
... .. |
- ... .. , ... ..  
... .. |
- ... ..  
... .. |
- ... ..  
... .. |
- ... .. |













- [REDACTED]
- [REDACTED]

[REDACTED]

[REDACTED]

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

[REDACTED] [www.mskcc.org/pe](http://www.mskcc.org/pe) [REDACTED]