



[REDACTED]
[REDACTED]
([REDACTED])
[REDACTED]

[REDACTED]
[REDACTED]

[REDACTED]?

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

[REDACTED] ([REDACTED] 1 [REDACTED] 2
[REDACTED]) | [REDACTED] 14 [REDACTED]
[REDACTED] | [REDACTED] 4 [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED], [REDACTED]
[REDACTED]



1. [Redacted]



2. [Redacted]

[Redacted]

[Redacted]

... , ... | ...
... | ...
...
... - ...
... |

... , ...
... , ...
... | ...
...
... |

... | ...
... , ...
... - ...
... | ...
... |

...
... |

... , ...
... , ...
... | ...
... , ...
... | ...
... - ...
...
... |

How to Fill Your Pill Box

\



Please visit www.mskcc.org/pa/cancer-care/patient-education/video/how-fill-pill-box to watch this video.

Before you fill your pill box, ask your pharmacist, nurse, or doctor about the following:

- How long you should take your medicine.
- How often you should take your medicine - morning, afternoon, or evening.
- How much you should take - one or two pills.
- How long you should take your medicine (how long you should take your medicine).
- How long you should take your medicine, how long you should take your medicine.

How to Take Your Medicine

Read the label on your medicine bottle carefully. It tells you how often to take your medicine, how much to take, and how long to take it. Some medicines may be taken once a day, twice a day, or three times a day. Some medicines may be taken every 4 hours, every 6 hours, or every 8 hours. Some medicines may be taken every 12 hours, every 18 hours, or every 24 hours. Some medicines may be taken every 30 minutes, every 1 hour, or every 2 hours. Some medicines may be taken every 3 days, every 7 days, or every 14 days. Some medicines may be taken every 3 weeks, every 4 weeks, or every 6 weeks. Some medicines may be taken every 3 months, every 6 months, or every 12 months. Some medicines may be taken every 1 year, every 2 years, or every 3 years. Some medicines may be taken every 5 years, every 10 years, or every 15 years. Some medicines may be taken every 20 years, every 30 years, or every 40 years. Some medicines may be taken every 50 years, every 60 years, or every 70 years. Some medicines may be taken every 80 years, every 90 years, or every 100 years.

Some medicines may be taken every 100 years, every 110 years, or every 120 years. Some medicines may be taken every 130 years, every 140 years, or every 150 years. Some medicines may be taken every 160 years, every 170 years, or every 180 years. Some medicines may be taken every 190 years, every 200 years, or every 210 years. Some medicines may be taken every 220 years, every 230 years, or every 240 years. Some medicines may be taken every 250 years, every 260 years, or every 270 years. Some medicines may be taken every 280 years, every 290 years, or every 300 years. Some medicines may be taken every 310 years, every 320 years, or every 330 years. Some medicines may be taken every 340 years, every 350 years, or every 360 years. Some medicines may be taken every 370 years, every 380 years, or every 390 years. Some medicines may be taken every 400 years, every 410 years, or every 420 years. Some medicines may be taken every 430 years, every 440 years, or every 450 years. Some medicines may be taken every 460 years, every 470 years, or every 480 years. Some medicines may be taken every 490 years, every 500 years, or every 510 years. Some medicines may be taken every 520 years, every 530 years, or every 540 years. Some medicines may be taken every 550 years, every 560 years, or every 570 years. Some medicines may be taken every 580 years, every 590 years, or every 600 years. Some medicines may be taken every 610 years, every 620 years, or every 630 years. Some medicines may be taken every 640 years, every 650 years, or every 660 years. Some medicines may be taken every 670 years, every 680 years, or every 690 years. Some medicines may be taken every 700 years, every 710 years, or every 720 years. Some medicines may be taken every 730 years, every 740 years, or every 750 years. Some medicines may be taken every 760 years, every 770 years, or every 780 years. Some medicines may be taken every 790 years, every 800 years, or every 810 years. Some medicines may be taken every 820 years, every 830 years, or every 840 years. Some medicines may be taken every 850 years, every 860 years, or every 870 years. Some medicines may be taken every 880 years, every 890 years, or every 900 years. Some medicines may be taken every 910 years, every 920 years, or every 930 years. Some medicines may be taken every 940 years, every 950 years, or every 960 years. Some medicines may be taken every 970 years, every 980 years, or every 990 years. Some medicines may be taken every 1000 years, every 1010 years, or every 1020 years. Some medicines may be taken every 1030 years, every 1040 years, or every 1050 years. Some medicines may be taken every 1060 years, every 1070 years, or every 1080 years. Some medicines may be taken every 1090 years, every 1100 years, or every 1110 years. Some medicines may be taken every 1120 years, every 1130 years, or every 1140 years. Some medicines may be taken every 1150 years, every 1160 years, or every 1170 years. Some medicines may be taken every 1180 years, every 1190 years, or every 1200 years. Some medicines may be taken every 1210 years, every 1220 years, or every 1230 years. Some medicines may be taken every 1240 years, every 1250 years, or every 1260 years. Some medicines may be taken every 1270 years, every 1280 years, or every 1290 years. Some medicines may be taken every 1300 years, every 1310 years, or every 1320 years. Some medicines may be taken every 1330 years, every 1340 years, or every 1350 years. Some medicines may be taken every 1360 years, every 1370 years, or every 1380 years. Some medicines may be taken every 1390 years, every 1400 years, or every 1410 years. Some medicines may be taken every 1420 years, every 1430 years, or every 1440 years. Some medicines may be taken every 1450 years, every 1460 years, or every 1470 years. Some medicines may be taken every 1480 years, every 1490 years, or every 1500 years. Some medicines may be taken every 1510 years, every 1520 years, or every 1530 years. Some medicines may be taken every 1540 years, every 1550 years, or every 1560 years. Some medicines may be taken every 1570 years, every 1580 years, or every 1590 years. Some medicines may be taken every 1600 years, every 1610 years, or every 1620 years. Some medicines may be taken every 1630 years, every 1640 years, or every 1650 years. Some medicines may be taken every 1660 years, every 1670 years, or every 1680 years. Some medicines may be taken every 1690 years, every 1700 years, or every 1710 years. Some medicines may be taken every 1720 years, every 1730 years, or every 1740 years. Some medicines may be taken every 1750 years, every 1760 years, or every 1770 years. Some medicines may be taken every 1780 years, every 1790 years, or every 1800 years. Some medicines may be taken every 1810 years, every 1820 years, or every 1830 years. Some medicines may be taken every 1840 years, every 1850 years, or every 1860 years. Some medicines may be taken every 1870 years, every 1880 years, or every 1890 years. Some medicines may be taken every 1900 years, every 1910 years, or every 1920 years. Some medicines may be taken every 1930 years, every 1940 years, or every 1950 years. Some medicines may be taken every 1960 years, every 1970 years, or every 1980 years. Some medicines may be taken every 1990 years, every 2000 years, or every 2010 years. Some medicines may be taken every 2020 years, every 2030 years, or every 2040 years. Some medicines may be taken every 2050 years, every 2060 years, or every 2070 years. Some medicines may be taken every 2080 years, every 2090 years, or every 2100 years. Some medicines may be taken every 2110 years, every 2120 years, or every 2130 years. Some medicines may be taken every 2140 years, every 2150 years, or every 2160 years. Some medicines may be taken every 2170 years, every 2180 years, or every 2190 years. Some medicines may be taken every 2200 years, every 2210 years, or every 2220 years. Some medicines may be taken every 2230 years, every 2240 years, or every 2250 years. Some medicines may be taken every 2260 years, every 2270 years, or every 2280 years. Some medicines may be taken every 2290 years, every 2300 years, or every 2310 years. Some medicines may be taken every 2320 years, every 2330 years, or every 2340 years. Some medicines may be taken every 2350 years, every 2360 years, or every 2370 years. Some medicines may be taken every 2380 years, every 2390 years, or every 2400 years. Some medicines may be taken every 2410 years, every 2420 years, or every 2430 years. Some medicines may be taken every 2440 years, every 2450 years, or every 2460 years. Some medicines may be taken every 2470 years, every 2480 years, or every 2490 years. Some medicines may be taken every 2500 years, every 2510 years, or every 2520 years. Some medicines may be taken every 2530 years, every 2540 years, or every 2550 years. Some medicines may be taken every 2560 years, every 2570 years, or every 2580 years. Some medicines may be taken every 2590 years, every 2600 years, or every 2610 years. Some medicines may be taken every 2620 years, every 2630 years, or every 2640 years. Some medicines may be taken every 2650 years, every 2660 years, or every 2670 years. Some medicines may be taken every 2680 years, every 2690 years, or every 2700 years. Some medicines may be taken every 2710 years, every 2720 years, or every 2730 years. Some medicines may be taken every 2740 years, every 2750 years, or every 2760 years. Some medicines may be taken every 2770 years, every 2780 years, or every 2790 years. Some medicines may be taken every 2800 years, every 2810 years, or every 2820 years. Some medicines may be taken every 2830 years, every 2840 years, or every 2850 years. Some medicines may be taken every 2860 years, every 2870 years, or every 2880 years. Some medicines may be taken every 2890 years, every 2900 years, or every 2910 years. Some medicines may be taken every 2920 years, every 2930 years, or every 2940 years. Some medicines may be taken every 2950 years, every 2960 years, or every 2970 years. Some medicines may be taken every 2980 years, every 2990 years, or every 3000 years.

How to Store Your Medicine

■■■■■ ■■■■ ■■■■

■■■■■■■■■■ ■■■■■■■■■ ■■■■ ■■■■■■■■■ ■■■■ ■■■ ■■■■■ ■■■■■
■■■■ ■■■ ■■■ ■■■■■■■■ ■■ ■■■■■■■■■ ■■■■■■■■■■■ ■■
■■■■■ ■■■■■ ■■■■■■■■■ ■■■■■■■■■■■ ■■■ | ■■■■■ ■■■■■■■■■ ■■■■
■■■■■■ ■■■■■ ■■■ 1 ■■■■ ■■■■ ■■■■■■■■■ ■■■, ■■■■ ■■■■■■■■■
■■■■ ■■■■ ■■■■■ ■■■ ■■■■ ■■■■■ |

■■■■■ ■■■■ ■■■■ ■■■■ ■■■■

■■■■■ ■■■■■■■■■ ■■■■■■■■■ ■■■ ■■■■■ ■■■■■■■■■ ■■■■■■■■■■■
■■■■ ■■■■■■■■■ ■■■■ | ■■■■■ ■■■■■, ■■■ ■■■■ ■■■■ ■■■■■■■■■ ■■
■■■■■■ ■■■■■ ■■■■■■■■■ ■■■■■■■■■■■ ■■■ ■■■■■ ■■■■■ ■■■■■
■■■■■■ ■■■■ |

[REDACTED] - [REDACTED]
[REDACTED]

[REDACTED]
[REDACTED]

[REDACTED], [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED] 5 [REDACTED]
[REDACTED]
[REDACTED] 2
[REDACTED]

[REDACTED] [REDACTED] [REDACTED] [REDACTED]
[REDACTED]

[REDACTED], [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED], [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED], [REDACTED]
[REDACTED]

[REDACTED]
[REDACTED]

[REDACTED], [REDACTED]
[REDACTED] | [REDACTED]
[REDACTED] "bXNrLW5vZGUtbGluazogMTg4ODU0***] [REDACTED]

[REDACTED]
[REDACTED]
[REDACTED]

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.



www.mskcc.org/pe

How To Fill a Pill Box - Last updated on February 8, 2024

