



患者及照护者教育

紧急医疗中心和对症医疗诊所护理出院 指导：发热

本信息介绍了紧急医疗中心 (UCC)/对症医疗诊所 (SCC) 针对发热的护理出院指导。

发热

如果您感觉可能发热或感觉不适，请检查您的体温。

在使用任何退热药物（包括非处方药，如对乙酰氨基酚 (Tylenol®) 或布洛芬）之前，请致电您的 MSK 医疗保健团队。

经常洗手，尤其是在咳嗽或打喷嚏后。酒精洗手液也可以杀灭细菌。

考虑与生病的人保持社交距离。周围有生病的人时，请勿有过于亲近的接触（如接吻、拥抱或共用餐具）。佩戴口罩（如有）。

请亲朋好友考虑接种流感疫苗和 COVID 疫苗。

对大家经常接触的物品进行消毒，如门把手、遥控器、玩具、电话等。

每天至少饮用 6-8（8 盎司）杯水或其他液体以保持充分补水。

如果出现感染相关体征，请致电您的 MSK 医疗保健团队或前往最近的急诊室就诊：

- 发热 $\geq 100.4^{\circ}\text{F}$ (38°C)。
- 颤抖性寒战
- 出汗

您的医疗团队可能会指导您前往所在地区的对症医疗诊所 (SCC)/ 紧急医疗中心 (UCC) 就诊。

请在出院后与您的 MSK 医疗保健团队完成随访。

您可以在 MSK 的患者和照护者教育库中搜索关于该主题以及许多其他主题的信息，网址为 www.mskcc.org/pe

If you have questions or concerns, contact your healthcare provider. A member of your care team will answer Monday through Friday from 9 a.m. to 5 p.m. Outside those hours, you can leave a message or talk with another MSK provider. There is always a doctor or nurse on call. If you're not sure how to reach your healthcare provider, call 212-639-2000.

有关更多资源，请访问 www.mskcc.org/pe，在我们的虚拟图书馆中进行搜索。

Urgent Care Center and Symptom Care Clinic Nursing Discharge
Instructions: Fever - Last updated on March 21, 2023

Memorial Sloan Kettering Cancer Center 拥有和保留所有权利